

PHOENIX

mm

Heiden

SIC15  
Phoenix  
10 Oct 1966

R. HEIDEN

PHOENIX IS.  
10 OCT. 1966

~~1-50 SOUTH TERN~~  
~~51-150 BFB~~  
~~25 LESSER FRIG~~  
~~75-175~~  
~~100-200~~

2

✓ ADP  
CDP  
Done 2/19/69

~~HEIDEN~~ ~~PHOENIX~~  
~~NEST COUNT~~ ~~OCT. 10~~

PHOENIX

~~Oct. 10~~

~~NES COUNT~~

~~05B 72 5A~~

~~B 1m~~

~~W 1m~~

HEIDER PHOENIX IS. 10 OCT NEST COUNT



BFB

BROWN B. HG 6 RTTB

ONE EGG

2 EGGS

1 egg 1 young

1 small young

2 young

~~1 large young~~

1 imm.



BLOOD

PHOENIX IS.

10 OCT. 1966

R. HEIDEN

HEIDEN PHOENIX IS. OCT. 1966

CAT#	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
				JUNE	—	863-53601
1	SOOTY TERN	U	A			602
2		U	A			603
3		U	A			604
4		U	A			605
5		U	A			606
6		U	A			607
7		U	A			608
8		U	A			609
9		U	A			610
10		U	A			611
11		U	A			612
12		U	A			613
13		U	A			614
14		U	A			615
15		U	A			616
16		U	A			617
17		U	A			618
18		U	A			619
19		U	A			620
20						

HEIDEN PHOENIX IS. 10 OCT. 1967

CAT. #	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
		U	A	WNE		621
21	SOOTY TERN	U	A			622
22		U	A			623
23		U	A			624
24		U	A			625
25		U	A		POOL	626
26 POOL		U	A		POOL	627
27 POOL		U	A			628
28		U	A			629
29		U	A			630
30		U	A			631
31		U	A			632
32		U	A			633
33		U	A		POOL	634
34 POOL		U	A			635
35		U	A		POOL	636
36		U	A			637
37		U	A			638
38		U	A			639
39		U	A			640
40						

# HEIDEN PHOENIX IS. OCT. 19

CAT. #	SPECIES	SEX	AGE
41	SOOTY TERN	U	A
42		U	A
43		U	A
44		U	A
45		U	A
46		U	A
47		U	A
48		U	A
49		U	A
50		U	A
51	BLUE FACED BOOBY	♀	A
52		♂	A
53		U	A
54		♂	A
55		♀	A
56		♂	A
57		♀	A
58		♂	A
59		♀	A
60		♂	A

POOL 3

BLUE FACED BOOBY

PAIR

PAIR

PAIR  
w/61

COLOR  
PRAISE  
NONE

NESTING STATUS  
✓ADP BAND NO.

641

642

643

644

645

646

647

648

POOL 3

649

~~650~~ 653

✓587-81655✓

✓757-67940✓

w/Lch

✓737-51243✓

w/Lch

(737-22882✓

w/Lch

757-60981 NB

w/Lch

757-60980 NB

w/Lch

(737-26112✓

w/ch

(737-20390✓

w/ch

(737-48004✓

w/ch

757-67847✓

# HEIDEN PHOENIX IS.

CAT. #	SPECIES	SEX	AGE
61 PAIR	BLUE-FACED BOOBY	♀	A
62		♂	A
63 ) PAIR		♀	A
64 )		♂	A
65		♀	A
66		♂	A
67		♀	A
68		♂	A
69		♀	A
70 ) PAIR		♂	A
71 )		♀	A
72 ) PAIR		♂	A
73 )		♀	A
74 ) PAIR		♂	A
75 )		♀	A
76 ) PAIR		♂	A
77 )		♀	A
78		♂	A
79		♀	A
80		♂	A

OCT. 1966

COLOR  
PRAISE  
NONE

NESTING STATUS

✓ ADP BAND NO.

w/ch	PAIR w/bw 737-51214 ✓	982
w/ch	PAIR (737-26103	
w/ch	737-51212 ✓	
—		983
—		<del>757-62281</del>
w/ch		587-81706
w/ch		757-62283
w/ch		737-51230
w/ch	PAIR (737-50489	
w/ch	737-51404	
w/ch	PAIR (737-48265	
w/ch	737-22566	
w/ch	PAIR (757-65491 ✓	
w/ch	737-51401 ✓	
w/ch		984
w/ch	PAIR (757-62610 ✓	
w/ch		985
2 Egg		587- <del>83412</del> ✓
		757-63441 ✓

# HEIDER PHOENIX IS.

CAT.#	SPECIES	SEX	AGE
81	BLUE-FALCO BOOBY	♀	A
82	PAIR	♂	A
83		♀	A
84	-	♂	A
85		♀	A
86	PAIR	♂	A
87		♀	A
88	PAIR	♂	A
89		♀	A
90	PAIR	♂	A
91		♀	A
92	-	♂	A
93		♀	A
94	PAIR	♂	A
95		♀	A
96	PAIR	♂	A
97		♀	A
98	PAIR	♂	A
99		♀	A
100		♂	A

10 OCT. 1966

COLOR  
PRAISE

NONE

NESTING STATUS

✓ADP BAND NO.

	w/ch	PAIR	757-65814 ✓
	w/ch		737-26129 ✓
	w/ch		737-23110 ✓
	w/ch		757-62581 ✓
	w/ch	PAIR	757-62571 ✓
	w/ch		737-51215 ✓
	w/ch	PAIR	737-48318 ✓
	w/ch		737-50170 ✓
	w/Imm	PAIR	757-64302 ✓
	w/Imm		757-64302 ✓
	w/Imm		737-26021 ✓
	w/ch	PAIR	757-67978 ✓
	w/Imm		737-28489 ✓
	w/ch	PAIR	737-22042 ✓
	w/ch		587-81637 ✓
	w/ch	PAIR	737-50212 ✓
	w/ch		737-23277 ✓
	w/ch	PAIR	737-28469 ✓
	w/ch		757-62579 ✓
1 EGG			757-67926 ✓

# HEIDEN PHOENIX IS. 10 OCT. 1966 ✓ ADP

CAT. #	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
101	BLUE-FACED BOOBY	♂	A	NONE	w/ch	737-51216 ✓
102	PAIR	♀	A	OE	PAIR	737-22608 ✓
103		♀	A	OE		737-27791 ✓
104		♀	A	w/ch		587-83406 ✓
105		♀	A	OE		986
106		♀	A	2 egg	PAIR	757-67864 ✓
107		♀	A	w/ch		757-64304 ✓
108		♀	A	w/ch		987
109		♀	A	vph		737-51245 ✓
110		♀	A	w/ch	PAIR	737-51315 ✓
111		♀	A	w/ch		737-50488 ✓
112		♀	A	w/ch		757-07906 ✓
113		♀	A	— RC		568-70297 ✓
114	PAIR	♀	A	— RC	PAIR	757-62254 ✓
115		♀	A	— RC		757-65418 ✓
116		♀	A	— RC		757-65676 ✓
117		♀	A	— RC		988
118		♀	A	— RC	PAIR	757-65688 ✓
119		♀	A	— RC		757-65664 ✓
120		♀	A	— RC		568-70259 ✓
		♀	A	— RC		

# HEIDEN PHOENIX IS. 10 OCT. 1966

/ADP

CAT. #	SPECKS	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
121	BLUE-FACED BOOBY	♂	A	NONE	RC	989
122	PAIR	♀	A		w/ch	PAIR (737-26050 737-51481 737-20329 737-29505 757-65734 757-65680 737-51218 757-65896 757-65548 737-51235 757-64430 737-23689 757-63703 737-51379 757-67993 737-51238 737-50494 757-67805 737-26182
123		♂	A		w/ch	
124		♀	A		w/ch	
125		♂	A		RC	
126		♀	A		RC	
127	PAIR	♂	A			
128		♀	A		w/ch	
129		♂	A		RC	
130		♀	A		RC	
131		♂	A		w/ch	
132		♀	A		w/ch	
133		♂	A		w/ch	
134		♀	A		w/ch	
135		♂	A		w/ch	
136		♀	A		w/ch	
137	PAIR	♂	A		w/lmm	PAIR (737-51238 737-50494 757-67805 737-26182
138		♀	A		2 egg	
139		♂	A		w/lmm	
140		♀	A		w/ch	

# HEIDEN PHOENIX IS.

10 OCT. 1966

CAT. #	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
141	BLUE-FACED BOOBY	♀	A	NONE	—	990
142		♂	A		—	737-26139
143		♀	A		ON NEST	991
144		♂	A		ON NEST	587-84019 ✓
145		♀	A		—	757-63562
146		♂	A		—	737-50316 ✓
147		♂	A		—	757-65437 ✓
148		♂	A		—	992
149		♀	A		w/ch	757-62544 ✓
150		♂	A		w/ch	737-48279 ✓
151	LESSER FRIGATE	♂	A	NONE	w/ch	✓ 777-54301
152		♀	A		w/ch	304
153		♂	A		w/ch	303
154		♀	A		w/ch	302
155		♂	A		w/ch	306
156		♀	A		w/ch	305
157		♂	A		w/ch	307
158		♂	A		w/ch	309
159		♀	A		w/ch	308
160		♀	A		w/ch	311

# HEIDEN PHOENIX IS.

10 OCT. 1966

CAT. #

SPECIES

SEX

AGE

COLOR

PHASE

NESTING STATUS


BAND

NO.

161	LESSER FRIGATE	♀	A	NONE	w/d	310
162		♀	A		w/ch	777-54270
163		♀	A		w/ch	777-54299
164		♀	A		w/ch	312
165		♂	A		w/ch	313
166		♂	A		w/ch	315
167		♀	A		w/d	317
168		♀	A		w/ch	316
169		♀	A		w/ch	314
170		♀	A		w/ch	319
171		♂	A		w/ch	318
172		♀	A		w/ch	321
173		♀	A		w/ch	320
174		♀	A		w/ch	323
175		♀	A		w/ch	324
176	<del>WATER</del>	♀	A		w/ch	322
177	<del>SHORE</del>	♀	A		w/ch	325
178		♂	A		w/ch	777-54168
179		♂	A		w/ch	326
180		♂	A		w/d	777-54164

# HEIDEN PHOENIA IS. 10 OCT. 1966

CAT. #	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
181	<del>LESSER FRIGATE</del>	♀	A		w/ch	328
182	LESSER FRIGATE	♂	A		w/ch	327
183		♂	A		w/ch	329
184		♀	A		w/ch	777-54277
185		♀	A		w/ch	332
186		♀	A		w/ch	333
187		♀	A		w/ch	331
188		♀	A		w/ch	334
189		♂	A		w/ch	335
190		♂	A		w/ch	336
191 ✓	RABBIT					
192 ✓						
193						
194						
195						
<del>196</del>						
<del>197</del>						
<del>198</del>						
<del>199</del>						
200						



HEIDEN PHOENIX IS.

10 OCT. 1966

✓ ADP

BLUE-FACED BOOBY RETURNS  
(ALL ADULTS)

	<u>SEX</u>	<u>STATUS</u>
587-81655	♀	✓
81706	♂	w/ch ✓
83412	♂	2 EGGS ✓
81637	♀	w/ch (PAIRED w/737-22042) ✓
83406	♀	w/ch
84019	♂	✓ ON NEST

568-70297	♀	RC ✓
70259	♂	RC ✓

737-51243	U	w/ch
22882	♂	✓ w/ch (PW 757-60981) NEW BAND

~~20390~~

26112	♀	✓ w/ch (PW 757-60980) NEW BAND
(20390	♂	✓ w/ch
48004	♀	✓ w/ch
51214	♀	✓ w/ch (PW 757-67847)

HEIDEN

PHOENIX IS.

BFB RETURNS (CONT.) 10 OCT. 1966

	<u>SEX</u>	<u>STATUS</u>
PAIR (737-26103)	♂ ✓	w/ch
51212	♀ ✓	w/ch
51230	♂ ✓	w/ch
PAIR (50469)	♀	w/ch
51404	♂	w/ch
P (48265)	♂	w/ch
22566	♀	w/ch
51401	♂	w/ch (PW 757-65491)
P (26129)	♂	w/ch
23110	♀	w/ch
51215	♂ ✓	w/ch (PW 757-62571)
P (48318)	♂ ✓	w/ch
50170	♀ ✓	w/ch
P (26021)	♀	w/ch
28489	♂	w/ch
22042	♂ ✓	w/ch (PW 587-81637)
P (50212)	♂	w/ch
23277	♀	w/ch



Spot checked

These are blood sampled birds that are listed earlier in this book

Some on next three pages of B-F B. returns. c rpf

# HEIDEN PHOENIX IS.

BFB RETURNS (CONT.) 10 OCT. 1966

	<u>SEX</u>	<u>STATUS</u>
737-28469	♂	w/ch (PW 757-62579)
<del>51216</del>	♂	w/ch
p ( <del>22608</del> )	♀	OE
<del>27791</del>	♂	OE
<del>51245</del>	♂	w/ch (P new band 757-60987)
p ( <del>51315</del> )	♂	w/ch
<del>50488</del>	♀	w/ch
p ( <del>26050</del> )	♀	w/ch
<del>51481</del>	♂	w/ch
<del>20329</del>	♀	w/ch
<del>29505</del>	♂	RC
<del>51218</del>	♂	w/ch
<del>51235</del>	♂	w/ch
<del>23689</del>	♂	w/ch (PW 757-64430)
<del>51379</del>	♂	w/ch
<del>51236</del>	♀	w/Imm. (PW 757-67805)
<del>26182</del>	♀	w/ch
<del>26139</del>	♂	—
<del>50316</del>	♂	—

*Spent*

HEIDEN

PHOENIX IS.

10 OCT. 1966

BFB RETURNS (CONT.)

	SEX	STATUS
737-48279	♂	w/ch

757-67940 ♂

—

60980 ♂

w/ch (P 737-26112)

67847 ♂

w/ch (P 737-51214)

62221 ♀

—

62273 ♂

w/ch

65491 ♀

w/ch (P 737-51401)

62610 ♀

w/ch (P new band 757-60984)

63441 ♂

—

65814 ♀

—

62581 ♀

w/ch

62571 ♀

w/ch (P 737-51215)

64302 ♂

w/Imm.

67978 ♀

w/ch

62579 ♀

w/ch (P 737-28469)

67926 ♂

OE

67864 ♀

2 EGGS

64304 ♀

w/ch

*Spencer*

HEIDEN PHOENIX IS.  
10 OCT. 1966  
BFB RETURNS (CONT.)

	SEX	STATUS
757-67906	♂	w/d
62254	♀	RC
65418	♂	RC
65676	♀	RC
65688	♀	RC
65664	♀	RC
65734	♀	RC
65680	♀	—
65896	♀	RC
65548	♂	RC
64430	♀ ✓	w/d (PW 737-23689)
63703	♂	w/d
67993	♀	w/d
67805	♂	w/imm. (PW 737-51236)
63562	♀	—
65437	♂	—
62544	♀	w/d

*Spetcher*

HEIDEN PHOENIX IS.

10 OCT. 1966

✓ADP

LESSER FRIGATE RETURNS

	<u>SEX</u>	<u>AGE</u>	<u>STATUS</u>
✓ 777-54270	♀	A	w/ch
✓ 54299	♀	A	w/ch
✓ 54168	♂	A	w/ch
✓ 54164	♂	A	w/ch
✓ 54277	♀	A	w/ch

~~HEIDEN~~

~~PHOENIX IS.~~

~~10 OCT. 1966~~

~~BANDING~~

~~BLUE-FACED BOOBY~~

~~757-60980~~

~~SEX~~

~~STATUS~~

HEIDEN PHOENIX IS.

10 OCT. 1966

BLUE-FACED BOOBY BANDING (ALL ADULTS)

	<u>SEX</u>	<u>STATUS</u>
757-60980	♂	w/ch (w 737-26112)
981	♀	w/ch (w 737-22882)
982	♀	—
983	♂	—
984	♂	w/ch (w 757-62610)
985	♂	w/ch
986	♀	OE
987	♀	w/ch (w 737-51245)
988	♀	RC
989	♂	RC
990	♀	RC
991	♀	ON NEST
992	♂	RC

HEIDEN

PHOENIX IS.  
10 OCT. 1966

LESSER FRIGATE BANDING (ALL ADULT)

	<u>SEX</u>	<u>STATUS</u>
777-54301	♂	w/ch
302	♀	"
303	♂	"
304	♀	"
305	♀	"
306	♂	"
307	♂	"
308	♀	"
309	♂	"
310	♀	"
311	♀	"
312	♀	"
313	♂	"
314	♂	"
315	♂	"
316	♀	"
317	♀	"

LESSER FRIGATE BANDING (cont.)

	<u>SEX</u>	<u>STATUS</u>
777-54318	♂	w/ch
319	♀	"
320	♀	"
321	♀	"
322	♀	"
323	♀	"
324	♀	"
325	♂	"
326	♂	"
327	♂	"
328	♀	"
329	♂	"
330		
331	♂	"
332	♀	"
333	♀	"
334	♂	"
335	♂	"
336	♂	"

HEIDEN

PHOENIX IS.

10 OCT. 1966

SOOTY TERN BANDING

AGE SEX STATUS

863-53601-53649 A U U

863-53653 A U U



4

5

6

7

8

11

12

13

14

1st	125	BFB
2nd	50	Lea Fry
3rd	25	ST.
		(14/100)

7530-222-0078  
FEDERAL SUPPLY SERVICE

GPO 43-16-73124-2

~~STC 15~~  
~~Phoenix~~  
~~10 OCT 1966~~

STC 15  
Phoenix  
10 OCT 1966

✓ ADP  
CPA  
Done 8/19/68

nest count

BFB

2 egg

LN

11

~~111~~

~~111~~

~~111~~

Oct 10

Bonds received

~~524-94868-94900~~

~~777-54101-200~~

~~514-82871-900~~

~~514~~

~~514-78055-78100~~

~~514-82943-83000~~

2

Allured

Books returned  
64-94810-986

10 October 1966

Banding

Phalaris Is pet

574-94868-900

68+69 pair

---

Ad - 81 Larva Frigou nests

177-54101/200 on nests

~~574-94868-900~~

10 October 1966 Returns

Audubon Shearwater  
843-77452 WOB  
743-35(8)59

Wedgetail Shearwater  
605-72728  
605-72817

10 October 1966

Sooty ~~Return~~ Returns  
853-08139<sup>AC</sup> with Anna  
✓ ADP

Wedge tail recover  
light phase

625-85814

Blue Key Red Returns

652-45512 roosty  
642-04075 ✓ ADP

C Red Returns

✓ ADP 753-69294 roosty ✓  
" 69291 " ✓  
753-02954 BP parent ✓

100 Oct 1966 CIS Returns

~~524-94972~~  
~~544-50109~~  
~~" 50359~~  
~~514-82648~~  
~~524-94994~~  
~~544-50006~~  
~~514-82699~~  
~~524-12111~~  
~~514-82626~~  
~~" 82812~~  
~~524-12157~~ } pair  
~~" 12158~~  
~~" 12169~~  
~~" 12154~~ n.  
~~524-12152+514-16072~~  
~~" 12136~~  
~~12088~~ no other hand  
~~514-82836~~

100 Oct 1966 CIS Adults 10 Oct

~~524-94870~~ -  
~~70-544-50337~~  
~~71- " 50143~~  
~~72- " 50147 + LN~~  
~~73- " 49818~~  
~~74- " 50321~~  
~~75- " 50108~~  
~~76- " 49805~~  
~~77- " 49806~~  
~~78- " 50326~~  
~~79- " 48404~~  
~~80- " 50064 + AM~~  
~~81- " 50091 + LN~~  
~~82- " 50061~~  
~~83- " 50045~~  
~~84- " 50095~~  
~~85- " 50053~~  
~~86- " 50044~~  
~~87- " 50074~~  
~~88- " 50068~~  
~~89- 514 76119~~

10 October CIS Returns + Banding  
1966

90-514-76199

91 544-50084

92 " 50036

93 " 50017

94 " 50080

95 524-41576

96 534-41583

97 544-50056

98 514-76138

99 544-50051

900 544-50028

C.I. Shearwater 10 Oct 1966  
Banding.

9. 514-82871-82900

CIS chicks

~~46+167 pairs with 100~~

CTS. Adults 10 Oct 1966

514-78055-100 Banding

55 ~~544-48301~~

56 ~~534-41589~~

57 ~~544-48314~~

58 " ~~48306~~ + M~~A~~

59 " ~~48310~~

60 " ~~50043~~

61 ~~534-41565~~ + LN

62 ~~544-50063~~

63 " ~~50047~~

64 ~~514-76106~~

65 ~~544-50030~~

66 " ~~48321~~

67 " ~~48331~~

68 ~~534-41557~~

69 ~~544-49892~~

70 " ~~49898~~

71 " ~~49900~~

72 " ~~48360~~

73 ~~49886~~

10 October 1966  
Bandings

Count + Return

74 ~~534-11552~~ C Is Shearwater

75 544-12994

B

76 534 ~~11~~ - 41563 Save

77 544 49865

78 514 ~ 76091

79 544-48358

80 534-41587 Save

81 544 12987

★

82 514 - 76177 7 pins No BP

83 544 - 49843

84 " 49879

85 " 49831

86 544 - 12985

87 " 49833

88 534 - 41537

89 514 76052

90 ~~544~~ 12974

91 " 49823

92 ~~534~~ 41521 Save

93 544 49821

Cont.

10 October 1966

Phoenix

LI Shear

Bandings +

Returns

94 ~~544-49826~~

95 514-76049

96 ~~544-49822~~

97 534-41520

98 " 41524

99 544 50277

100 " 50232 with LN

Banding CJS/Adults 10 Oct 1966

514-82943 - 83000

46 + 47 pair with MN

230-231 1/2 - 1/2 - 1/2

230-231 1/2 - 1/2 - 1/2

230-231 1/2 - 1/2 - 1/2





**7530-222-0078**  
**FEDERAL SUPPLY SERVICE**

GPO 643-16-78124-3

~~SECRET~~

SECRET

SIC 15  
Phoenix  
10 OCT 1966

NO ADP

~~CDA~~

Done 8/19/8

Smith

Phoenix Island

Bands Received

568-71601 Thru 71700  
used

Banded 10 Oct 1966

~~BFB chicks~~

~~777~~ 777-

~~56 11 66 11 2 11 2~~

58 ♂ egg  
59 ♂ egg  
60 ♀ chick  
61 ♀ 2 chicks  
62 ♀ chick  
63 ♂ chick  
64 ♂ chick  
65 ♂ chick  
66 ♂ chick  
67 ♂ chick  
68 ♀ chick  
69 ♂ chick  
70 ♂ chick

71-100 chicks

L. frigate

10 Oct. 1966

337 Ad ♂  
543 38 ♂ with chick  
739 ♂ "  
740 ♀ "  
41 ♀ "  
42 ♂ 1 egg  
43 ♀ chick  
44 ♂ "  
45 ♂ "  
46 ♂ "  
47 ♂ "  
48 ♀ "  
49 ♂ "  
50 ♂ "  
51 ♂ egg  
52 ♀ chick  
53 ♂ "  
54 ♂ "  
55 ♂ egg  
56 ♂ chick  
57 ♀ "

BFB

Nest 5 10 Oct.

naked.

1504/NC

Chapter

1 small chunk

chick

1 Large Colony

Legg

2egg

Small chick

1099

1111  
1111  
111



Handwritten tally marks (vertical lines) indicating counts, possibly for the number of items or pages.

111 111

A series of ten horizontal lines for practicing the letter 'H'. Each line contains multiple instances of the letter 'H' in various sizes and orientations, written in a cursive, slanted style. The lines are arranged vertically, with the first line at the top and the last line at the bottom. The letters are written in a dark ink on a light background.

2 small Naked  
Chicks



$$\begin{array}{r} 485 \\ 34 \overline{) 1485} \end{array}$$

340

1 possible nest with  
2 large downy chicks.



Lesser Frigate Colony on NE  
side of island about 200 yds from  
beach - at edge of lagoon. Nests  
in low vegetation or on ground  
average height of nests from 0 to 6"  
Colony in low vegetation - mixture  
of ~~Portulaca~~ portulaca  
The colony is in the shape  
of a rough horseshoe and  
at the NW end the chicks are  
notably larger with fewer eggs  
& small chicks - graduates to  
small chicks & eggs at other  
end




10 October 1966

Banding

Blue-faced Booby

568-71601-700 N-4







**7530-222-0078**  
**FEDERAL SUPPLY SERVICE**

GPO 43-16-73131-2